broas 博瑞思

正本

CMA检测报告

broas 博瑞思

声　　明

Introduction

1.报告无"CMA 资质认定章"和检测单位"检测专用章"及"骑缝章"无效。

This report no seal on the perforation and CMA qualification certification seal and special seal for testing is invalid.

2.报告无编制人、审核人、签发人签名无效，报告经涂改无效。

This report without prepare people signature, audit staff signature, approver signature is invalid, The report by alter is invalid.

3.报告未经本机构批准，不得复制（全文复制除外）本报告或证书。

超过标准或技术规范要求的时效性均不再留样。

If the sample submitted by the client is tested, the test report shall be responsible for the conformity of the items tested by the sample, and the client shall be responsible for the

4.委托方应对提供的检测相关信息的完整性、真实性、准确性负责，本公司实施的质量体

表 1 企业工况

实际生产能力	监测期间生产能力	监测期间工况稳定情况	负荷
96 万吨/年	31.92 吨/天	正常	

broas 博瑞思

表 2 测信息

客户基本情况

位名称	公司
讯地址	房村
系人	联系电话
位名称	公司
讯地址	房村
系人	联系电话

样品基本情况

次	采样人员	采样日期	收样日期	分析日期	样品状态描述
天					
3	甘果 王洪华	2026.01.2	2026.01.24	2026.01.24- 2026.01.27	样品均为浅黄色、无气味、无浮油、微浑浊。
					样品均为无颜色、无气味、无浮油、无浑浊。

井 1
0",
")

井 2
9",
")

NO.1

分析人员	检出限/测定下限
甘　果 王洪华	
普红青	0.025mg/L
郭习林	0.05μg/L
邱璐丹	0.05μg/L
刘晨	0.04mg/L
康道娜	0.04μg/L

	仪器型号
行）	T6 新 紫外可见分
	50 滴定
测定	T6 新 紫外可见分
定	T6 新 紫外可见分
12 部分： 法 -1）	HN-5 电热恒温
12 部分： 法 -1）	HN-5 电热恒温

NO.1

T 1484 8-2017 水质量 标准》 类标准	
	达标评价
	达标
	达标
	达标
	达标
	达标
	达标
	达标
	达标
	达标
	达标
	达标
	达标
	达标

17
》

评价
标
标
标
标
标
标
标
标
标
标
标
标
标

broas 博标思

